

CERNER FLASH

Venipuncture Powerform Updates

6/<mark>##/</mark>2019

Audience: Any users who utilize the venipuncture powerform/conduct blood draws.

<u>Changes:</u> The Venipuncture powerform has been updated to include additional data elements to support billing. All questions within the form are required. **Powerform Features:**

- 1. Site of Draw- Selecting "Other" provides a free text box to prompt for the user to indicate the site.
- 2. Patient Status- Selecting "Did Not Tolerate" causes the Reaction field to be a required field.

Screenshot of Updated Powerform:

P Venipuncture Detail Amb - ZZTEST, AMBTESTEIGHT		
🖌 🖬 🚫 🥸 🌠 🛧 🔸 🎟 🗱 🖹		
*Performed on: 06/20/2019 🛋 💌 EDT		By: Cerner Test, Ambulatory: MA Cerner
Venipuncture Det	Venipuncture Detail	<u>^</u>
Sterile Setup Amb Venipuncture Performed By	Date/Time	
Cemer Test, Ambulatory: MA Cemer	06/20/2019 🔿 💌 1151 🚔 📴	
Blood Collection Method	Number of Vials Drawn	
Capillary Peripheral IV Line Central line PICC line Implanted port Venous Midline	0 1 0 5 0 2 0 6 0 3 0 7 0 4 0 8	
Site of Draw	Blood Drawn From	
Abdomen-Left Hand-Right Abdomen-Right Leg-Left Arm-Left Leg-Right Arm-Left Neck-Left Chest-Left Neck-Right Chest-Right Other: Foot-Left Foot-Right Hand-Left Hand-Left	O Vein O Artery	
Patient Status:	Reaction	
Tolerated Well Did Not Tolerate		
Comments		



DOING WHAT'S BEST.